



SALES OFFER

CNC SERVO PRESS BRAKE MTP 40 × 2000



7958967-21478542

Machine	MTP 40 × 2000 CNC SERVO
Controller	MTP-3212 CNC
Condition	New / fully operational
Year	2026
EXW fixed price	€11,990 + VAT
Special offer	5% discount
Location	Fabryczna 1, 08-300 Sokołów Podlaski, Poland

The MTP 40 × 2000 CNC SERVO hydraulic press brake is designed for precise and repeatable sheet-metal bending. The machine combines CNC control, servo-driven X and Y axes, AMADA-type tooling and industrial-grade hydraulic and electrical components.

1. MACHINE OVERVIEW

MTP 40 × 2000 CNC SERVO – MTP-3212

A modern hydraulic CNC press brake intended for precision bending of sheet metal in production plants, workshops and metalworking companies. The CNC controller supports quick programming and automatic calculation of bending parameters, helping achieve accuracy, repeatability and efficient operation.

Key advantages

• 40-ton pressing force	• 2,000 mm bending length
• MTP-3212 CNC controller with colour touchscreen	• Servo-driven X and Y axes
• AMADA-type quick tool clamping	• Rexroth hydraulic valves
• Schneider Electric electrical components	• Omron safety components
• High bending accuracy and repeatability	• CE conformity

2. CNC CONTROL & EQUIPMENT

MTP-3212 CNC controller – the colour touchscreen controller enables fast programming of the bending process. The software automatically calculates operating parameters and allows storage of up to 40 punch types.

Standard equipment

• Upper punch	• Lower die
• 2 front supports	• X axis – servo drive
• Y axis – servo drive	• R axis – manual adjustment
• AMADA-type quick clamping system	

3. TECHNICAL SPECIFICATIONS

Parameter	Specification
Pressing force	40 t
Bending length	2,000 mm
Maximum sheet thickness	up to 3 mm
Distance between columns	1,600 mm
Throat depth	200 mm
Ram stroke	100 mm
Open height	300 mm
Backgauge working range	600 mm
Main motor power	4 kW
Input voltage	400 V
Input current type	Three-phase
Machine dimensions	2,155 × 1,469 × 2,000 mm
Total weight	3,300 kg
Warranty	12 months

4. COMPONENTS & SAFETY

The machine uses Rexroth hydraulic valves, Schneider Electric electrical components and Omron safety elements. Steel hydraulic connections improve durability and reduce the risk of leakage.

Safety equipment



• Light curtain	• Side protective guards
• Rear safety gate	• Emergency stop switches
• CE Declaration of Conformity	• Operating manual in Polish

5. APPLICATIONS

The press brake is suitable for manufacturing metal enclosures, electrical cabinets, ventilation components, steel structures and custom-made sheet-metal parts.

6. MACHINE GALLERY





7. COMMERCIAL TERMS

Item	Details
Price basis	EXW – fixed price
Machine price	€11,990 + VAT
Promotion	5% discount
Condition	New
Year of production	2026
Warranty	12 months
Availability	Subject to prior sale
Transport	Professional delivery throughout Europe; transport quoted individually
Collection	Personal collection possible from Sokołów Podlaski, Poland

8. DELIVERY & SUPPORT

We organize machine transport throughout Europe using specialized carriers for industrial machinery. Each machine is properly secured for transport and delivered directly to the customer. We provide technical support, advice on machinery and tooling selection, after-sales service and access to spare parts.

9. ABOUT METAL TECHNICS POLSKA

Metal Technics Polska offers professional metalworking machinery and provides technical advice, spare parts and comprehensive after-sales support. Contact our sales department for availability, delivery dates, transport costs or an individual quotation.

10. SELLER INFORMATION

Legal name	METAL TECHNICS POLSKA WENSLI GROUP SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ SPÓŁKA KOMANDYTOWA
KRS	0000631383
NIP	5223068919
REGON	365127723
Address	Fabryczna 1, 08-300 Sokołów Podlaski, Poland
Phone	+48 733 305 666



For quotations, transport arrangements and technical information, please contact our sales department.

This sales offer is prepared for commercial information purposes. Final terms and availability are subject to confirmation by the seller.